

Table 12.14b
Unadjusted Patient Survival, Living Donor Lung Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	4	100.0%	0.0%	4	100.0%	0.0%	65	53.7%	7.7%	172	42.1%	4.2%
Age at Tx												
6-11 Years	0	-	-	0	-	-	4	100.0%	0.0%	14	41.3%	15.8%
12-17 Years	2	100.0%	0.0%	2	100.0%	0.0%	18	52.9%	14.0%	49	44.1%	7.4%
18-34 Years	1	100.0%	0.0%	1	100.0%	0.0%	32	43.4%	11.7%	85	44.3%	5.7%
35-49 Years	1	100.0%	0.0%	1	100.0%	0.0%	8	87.5%	11.7%	20	+	+
50-64 Years	0	-	-	0	-	-	3	0.0%	0.0%	4	0.0%	0.0%
Recipient Ethnicity/Race												
White	2	100.0%	0.0%	2	100.0%	0.0%	57	50.5%	8.1%	151	41.6%	4.4%
African American	0	-	-	0	-	-	0	-	-	3	0.0%	0.0%
Hispanic/Latino	2	100.0%	0.0%	2	100.0%	0.0%	8	87.5%	11.7%	14	44.9%	16.8%
Asian	0	-	-	0	-	-	0	-	-	2	100.0%	0.0%
Other/Multi-race	0	-	-	0	-	-	0	-	-	2	+	+
Recipient Gender												
Female	4	100.0%	0.0%	4	100.0%	0.0%	44	59.3%	9.3%	117	46.1%	5.0%
Male	0	-	-	0	-	-	21	50.8%	12.1%	55	34.6%	7.6%
Recipient Blood Type												
O	4	100.0%	0.0%	4	100.0%	0.0%	35	41.4%	11.7%	89	35.3%	5.8%
A	0	-	-	0	-	-	20	49.5%	13.4%	60	40.2%	6.8%
B	0	-	-	0	-	-	6	100.0%	0.0%	15	65.2%	12.7%
AB	0	-	-	0	-	-	4	100.0%	0.0%	8	87.5%	11.7%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on lung and heart-lung transplants.

Multi-organ transplants are excluded.

Table 12.14b (Continued)
Unadjusted Patient Survival, Living Donor Lung Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	4	100.0%	0.0%	4	100.0%	0.0%	65	53.7%	7.7%	172	42.1%	4.2%
Recipient Residency												
U.S. Resident	4	100.0%	0.0%	4	100.0%	0.0%	65	53.7%	7.7%	162	42.2%	4.4%
Nonresident Alien	0	-	-	0	-	-	0	-	-	9	44.4%	16.6%
Unknown	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Hospitalized at Tx												
Not Hospitalized	1	100.0%	0.0%	1	100.0%	0.0%	21	54.0%	11.5%	57	51.8%	6.7%
Hospitalized	3	100.0%	0.0%	3	100.0%	0.0%	31	58.7%	13.4%	75	34.5%	7.5%
In Intensive Care	0	-	-	0	-	-	13	35.9%	17.3%	40	35.8%	7.9%
Life Support at Tx												
No	4	100.0%	0.0%	4	100.0%	0.0%	53	56.9%	8.4%	141	45.0%	4.7%
Yes	0	-	-	0	-	-	12	38.9%	18.5%	31	28.8%	8.8%
Primary Diagnosis												
Cystic Fibrosis	3	100.0%	0.0%	3	100.0%	0.0%	52	48.2%	9.0%	144	39.4%	4.5%
Idiopathic Pulmonary Fibrosis	1	100.0%	0.0%	1	100.0%	0.0%	7	64.3%	21.0%	10	+	+
Primary Pulmonary Hypertension	0	-	-	0	-	-	2	100.0%	0.0%	5	80.0%	17.9%
Congenital Disease	0	-	-	0	-	-	0	-	-	2	+	+
Other	0	-	-	0	-	-	4	75.0%	21.7%	11	+	+
Unknown	0	-	-	0	-	-	0	-	-	0	-	-

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on lung and heart-lung transplants.

Multi-organ transplants are excluded.

Table 12.14b (Continued)
Unadjusted Patient Survival, Living Donor Lung Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	4	100.0%	0.0%	4	100.0%	0.0%	65	53.7%	7.7%	172	42.1%	4.2%
Yearly Center Volume												
0-3	0	-	-	0	-	-	19	63.2%	13.0%	42	53.3%	9.1%
4-6	1	100.0%	0.0%	1	100.0%	0.0%	0	-	-	2	0.0%	0.0%
7-11	1	100.0%	0.0%	1	100.0%	0.0%	8	0.0%	0.0%	17	58.1%	14.2%
12-20	0	-	-	0	-	-	6	33.3%	19.2%	89	36.7%	5.4%
21+	2	100.0%	0.0%	2	100.0%	0.0%	32	53.5%	10.8%	22	+	+
Donor Age												
18-34 Years	1	100.0%	0.0%	1	100.0%	0.0%	24	28.1%	12.2%	52	36.0%	7.2%
35-49 Years	2	100.0%	0.0%	2	100.0%	0.0%	31	67.8%	10.1%	95	44.1%	5.7%
50-64 Years	1	100.0%	0.0%	1	100.0%	0.0%	9	58.3%	25.1%	23	48.5%	11.3%
65+ Years	0	-	-	0	-	-	1	100.0%	0.0%	2	+	+
Relation of Donor to Recipient												
Parent	2	100.0%	0.0%	2	100.0%	0.0%	16	80.8%	10.0%	50	48.2%	7.3%
Sibling	1	100.0%	0.0%	1	100.0%	0.0%	9	32.4%	24.4%	22	30.8%	11.0%
Other Relative	0	-	-	0	-	-	11	59.7%	15.9%	39	48.7%	8.4%
Spouse	1	100.0%	0.0%	1	100.0%	0.0%	2	+	+	4	+	+
Other Unrelated	0	-	-	0	-	-	26	46.2%	12.4%	56	37.3%	8.0%
Unknown	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on lung and heart-lung transplants.

Multi-organ transplants are excluded.

Table 12.14b (Continued)
Unadjusted Patient Survival, Living Donor Lung Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	4	100.0%	0.0%	4	100.0%	0.0%	65	53.7%	7.7%	172	42.1%	4.2%
Transplant Center State												
CALIFORNIA	3	100.0%	0.0%	3	100.0%	0.0%	36	62.9%	10.3%	97	45.4%	5.7%
MASSACHUSETTS	1	100.0%	0.0%	1	100.0%	0.0%	9	43.8%	31.5%	19	63.9%	12.4%
MARYLAND	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
MINNESOTA	0	-	-	0	-	-	7	28.6%	22.3%	9	+	+
MISSOURI	0	-	-	0	-	-	3	33.3%	27.2%	23	26.1%	9.2%
NORTH CAROLINA	0	-	-	0	-	-	7	42.9%	18.7%	15	40.0%	12.6%
PENNSYLVANIA	0	-	-	0	-	-	3	33.3%	27.2%	6	0.0%	0.0%
VIRGINIA	0	-	-	0	-	-	0	-	-	2	+	+

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on lung and heart-lung transplants.

Multi-organ transplants are excluded.